




BORWOOD BELARUSIAN
FOREST
HOLDING

Holding of woodworking
companies BORWOOD

WWW.BORWOOD.BY



Key figures



BORWOOD Holding
supplies products



provide smooth functioning of
BORWOOD Holding

Production capacity



› Holding companies produce per year

BORWOOD

The Holding structure

БР-КОНСАЛТ

MANAGING COMPANY



BFC

BELARUSIAN
FOREST COMPANY

COMMERCIAL SUBDIVISION

- JSC Borisovdrev
- JSC Vitebskdrev
- JSC Gomeldrev
- JSC Mogilevdrev
- JSC Mozyrski DOK
- JSC Mostovdrev
- JSC Novosverjenskiy lesozavod
- JSC Rechitsadrev
- JSC FanDOK

Centralized management lets to control product quality during all the manufacturing cycle from logging to manufacturing and packaging of finished products and provides delivery optimization.

Products

MDF/HDF - MEDIUM/HIGH DENSITY BOARD

THIN MDF (2-5 mm)


Width: 1220, 2440 mm (plain); Length: 1700-3050 mm

LAMINATED MDF/HDF (6-30 mm)

Board sizes: 2800x2070 mm, 2440x1830 mm

SANDED MDF/HDF (8-44 mm)

Board sizes: 2800x2070 mm, 2440x1830 mm, 2440x1220 mm



FIBREBOARD

Board size: 2745X1700 mm

Thickness: 2,5 and 3,2 mm

Density: 850-1100 kg/m³



PARTICLE BOARD

SANDED PARTICLE BOARD (10-38 mm)


Width: 1830 mm; Length: 2440, 2750, 3050, 3660 mm

LAMINATED PARTICLE BOARD (10-25 mm)

Width: 1830 mm; Length: 2750 mm

THIN PARTICLE BOARD (6-8 mm)

Width: 1220 mm; Length: 2440 mm



EDGE GLUED PANELS

solid and spliced

Width: up to 1200 mm; Length: up to 2500 mm

Thickness: 15-40 mm; Lamella's size: 35-60 mm



LAMINATE FLOORING

Thickness: 8 mm
Wear class: 32, 33
Emission class: E1
4V-chamfer is possible



INSULATION BOARDS

Environmentally friendly material for comprehensive sound and heat insulation of buildings.

Bulk density: 110-200 kg/m³
Thermal conductivity: 0,038-0,042 W/m*K

Produced under EN 13171:2012+A1:2015



PLYWOOD

INTERIOR PLYWOOD MR - 1525x1525 mm (5x5")
EXTERIOR PLYWOOD WBP - 1250x2500 mm (4x8")
FILM FACED PLYWOOD - 1250X2500 mm (4x8")



MATCHES

MATCHES 2/3, consumption 45 pcs. or 36 pcs.
MATCHES, consumption 500 pcs. and 1400 pcs.

Width: 1,6-2,2 mm
Length: 42,5±1,5 mm



SAWN TIMBER AND DRESSED TIMBER

- edged and unedged
- conifers species
- natural humidity and dry





Geography of supplies



Mills

JSC Vitebskdrev
Vitebsk

- MDF/HDF
- hardboard
- balk
- sawn timber
- laminate flooring

JSC Mostovdrev
Mosty

- MDF/HDF
- plywood
- latoflex
- fuel chips
- laminate flooring

JSC Borisovdrev
Borisov

- thin MDF/HDF
- plywood
- matches

JSC Gomeldrev
Gomel

- MDF/HDF
- plywood
- sawn timber
- laminate flooring
- furniture

JSC FanDOK
Bobruisk

- plywood
- thin particle board
- edge-glued panel
- sawn timber
- furniture

JSC Rechitsadrev
Rechitsa

- plywood
- latoflex
- particle board
- furniture

JSC Mogilevdrev
Mogilev

- edge-glued panel
- sawn timber
- furniture

JSC Mozyrski DOK
Mozyr

- wood fiber insulation boards BELTERMO
- sawn timber
- furniture

JSC Novosverzhen
Minsk region

- sawn timber



WHY US



Centralized
management



Vast
supply network



Constant
quality control



Wide
product range



Complete
manufacturing
cycle



Customer
focus

JSC «Belarusian Forest Company»

9, Dombrovskaya str., office 2.2.1

220140, Minsk, Belarus

+375 (17) 388 07 29

+375 (17) 388 07 34

apm@bellesprom.com

www.borwood.by